

Diabetes-related Deaths

Diabetes-related Deaths

- Most recent data (2014): 63.3 deaths per 100,000, including 1268 deaths.
- Trend over time: 2000-14: flat
- Description: Deaths with diabetes mellitus as a primary or contributory cause of death
- Healthy People 2020 Goal: 67 per 100,000 or lower

Diabetes-related deaths, King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	59.8	58.3	61.4	1144
AGE				
<18	*	*	*	*
18-24	*	*	*	*
25-44	3.7	3.1	4.4	23
45-64	40.2	37.8	42.7	213
65+	398.9	387.4	410.7	908
GENDER				
Male	75.8	73.0	78.6	613
Female	48.1	46.2	50	532
RACE/ETHNICITY				
AIAN	111.8	83.6	147.8	13
Asian	53.8	49.4	58.5	116
Black	133.0	121.5	145.5	110
Hispanic	65.7	54.7	78.4	32
Multiple	38.8	27.5	53.8	10
NHPI	198.3	139.8	280.8	11
White	56.4	54.7	58.1	882
NEIGHBORHOOD POVERTY				
High	82.0	76.7	87.5	189
Medium	61.9	59.9	63.9	767
Low	42.6	39.8	45.6	181
REGION				
East	38.8	36.4	41.5	189
North	59.5	54.0	65.5	91
Seattle	58.2	55.5	61.1	364
South	76.7	73.6	79.9	492
STATE				
Washington State	75.6	74.7	76.5	5483

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: WASHstate DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

CI is 95% Confidence Interval.


* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Diabetes-related deaths

King County, 2010-2014 average



Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

[^]Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

|-----| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Poverty = Neighborhood poverty levels defined by median household income.

Diabetes-related deaths by health reporting areas, King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	59.8	58.3	61.4	1144
Auburn	84.1	73.9	95.4	51
..Auburn-North	66.1	55.0	78.9	25
..Auburn-South	116.9	96.8	140	25
Bear Creek/Carnation/Duvall	39.3	30.5	49.9	16
Bellevue	34.2	30.2	38.7	54
..Bellevue-Central	48.2	39.0	59.1	20
..Bellevue-NE	32.3	24.9	41.7	13
..Bellevue-South	36.5	27.3	48.3	11
..Bellevue-West	22.2	16.3	30.4	10
Black Diamond/Enumclaw/SE County	75.3	64.1	88.0	34
Bothell/Woodinville	42.7	33.5	54.1	16
Burien	71.4	61.1	83.0	36
Covington/Maple Valley	72.4	59.8	86.9	26
Des Moines/Normandy Park	67.3	57.3	78.9	36
East Federal Way	85.2	70.1	102.8	24
Fairwood	68.2	51.1	89.7	13
Federal Way	88.1	78.9	98.1	70
..Fed Way-Central/Military Rd	104.0	91.6	117.6	54
..Fed Way-Dash Point/Woodmont	60	47.2	75.3	17
Issaquah	39.3	30.7	50.4	15
Kenmore/LFP	47.2	37.9	58.4	18
Kent	84.2	75.8	93.2	79
..Kent-East	98.2	81.4	117.5	26
..Kent-SE	84.4	72.7	97.7	39
..Kent-West	64.6	49.4	83.8	14
Kirkland	43.0	36.4	50.6	31
..Kirkland	36.9	29.2	46.2	16
..Kirkland North	53.7	41.8	68.2	15
Mercer Isle/Pt Cities	29.3	23.1	38.5	16
Newcastle/Four Creeks	56.0	43.0	72.0	14
North Highline	76.1	57.1	100	12
Redmond	44.4	35.8	54.7	20
Renton	73.0	65.7	81.0	76
..Renton-East	63.6	49.6	80.6	15
..Renton-North	65.6	52.8	80.7	19
..Renton-South	82.9	71.9	95.2	42
Sammamish	47.0	33.6	64.2	9
SeaTac/Tukwila	81.2	68.4	96.0	31
Seattle	58.2	55.5	61.1	364
..Ballard	42.1	33.8	52.0	19
..Beacon/Gtown/S.Park	81.5	69.7	94.8	35
..Capitol Hill/E.lake	40.4	31.6	51.8	15
..Central Seattle	86.5	74.2	100.6	36
..Delridge	87.3	70.2	107.7	19
..Downtown	65.9	56.3	82.4	35
..Fremont/Greenlake	44.5	34.6	56.8	16
..NE Seattle	32.4	26.0	40.1	19
..North Seattle	47.1	38.7	57.2	24
..NW Seattle	60.4	51.2	71.4	34
..QA/Magnolia	36.3	29.7	44.5	22
..SE Seattle	103.4	90.2	118.3	46
..West Seattle	59.8	51.5	69.6	42
Shoreline	75.1	66.3	85.0	56
Snoqualmie/North Bend/Skykomish	50.3	37.8	65.8	13
Vashon Island	38.2	25.5	60.3	6

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Diabetes-related deaths by health reporting areas King County, 2010-2014 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order
Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

^aRate = cases per 100,000 population, age-adjusted to the 2000 US population.

Diabetes-related deaths

King County, 2000-2014, three-year rolling averages



^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
Trends over time: King County (2000-14: flat); East KC (2000-14: flat); North KC (2000-14: rising); Seattle (2000-14: flat);
South KC (2000-14: flat); Washington State (2000-05: rising; 2005-14: flat)
Source: WA State DOH, Center for Health Statistics, Death Certificates.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.

Produced by the
[Assessment, Policy Development & Evaluation Unit](#)
[Public Health - Seattle & King County](#)
08/16